



Series	Tube OD (mm/in)		PN (bar/PSI)	Dimensions (mm/in)							Weight (kg/lbs) ca. per 100 ²
	D1	D2		D3	L	L1 ¹	L2	S1	S2	S3	
LL	6	4	100	3	20	32	10,5	11	10	12	0,70
	.24	.16	1450	.12	.79	1.26	.41	.43	.39	.47	1.54
	8	4	100	3	22	34	12,5	12	10	14	1,00
	.31	.16	1450	.12	.87	1.34	.49	.47	.39	.55	2.20
	8	6	100	4	22	34	11	12	12	14	0,99
	.31	.24	1450	.16	.87	1.34	.43	.47	.47	.55	2.18
L	8	6	500	4	25	40	11	14	14	17	1,61
	.31	.24	7250	.16	.98	1.57	.43	.55	.55	.67	3.54
	10	6	500	4	26	41	12	17	14	19	1,99
	.39	.24	7250	.16	1.02	1.61	.47	.67	.55	.75	4.37
	10	8	500	6	26	41	12	17	17	19	2,21
	.39	.31	7250	.24	1.02	1.61	.47	.67	.67	.75	4.86
	12	6	400	4	27	42	13	19	14	22	2,47
	.47	.24	5800	.16	1.06	1.65	.51	.75	.55	.87	5.43
	12	8	400	6	27	42	13	19	17	22	2,63
	.47	.31	5800	.24	1.06	1.65	.51	.75	.67	.87	5.78
	12	10	400	8	28	43	14	19	19	22	2,81
	.47	.39	5800	.31	1.10	1.69	.55	.75	.75	.87	6.19
	15	10	400	8	29	45	15	24	19	27	4,36
	.59	.39	5800	.31	1.14	1.77	.59	.94	.75	1.06	9.59
	15	12	400	10	29	45	15	24	22	27	4,42
	.59	.47	5800	.39	1.14	1.77	.59	.94	.87	1.06	9.73

Pour toute demande complémentaire veuillez nous contacter sur info@hydrocllic.com

18	10	400	8	30	46	15,5	27	19	32	6,01
.71	.39	5800	.31	1.18	1.81	.61	1.06	.75	1.26	13.22
18	12	400	10	30	46	15,5	27	22	32	5,56
.71	.47	5800	.39	1.18	1.81	.61	1.06	.87	1.26	12.22
18	15	400	12	31	48	16,5	27	27	32	6,73
.71	.59	5800	.47	1.22	1.89	.65	1.06	1.06	1.26	14.81
22	12	250	10	32	48	17,5	32	22	36	7,99
.87	.47	3625	.39	1.26	1.89	.69	1.26	.87	1.42	17.57
22	15	250	12	33	50	18,5	32	27	36	8,37
.87	.59	3625	.47	1.30	1.97	.73	1.26	1.06	1.42	18.41
22	18	250	15	33	50	18	32	32	36	8,76
.87	.71	3625	.59	1.30	1.97	.71	1.26	1.26	1.42	19.26
28	18	250	15	34	52	19	41	32	41	13,29
1.10	.71	3625	.59	1.34	2.05	.75	1.61	1.26	1.61	29.24
28	22	250	19	36	54	21	41	36	41	13,61
1.10	.87	3625	.75	1.42	2.13	.83	1.61	1.42	1.61	29.94
35	22	250	19	39	59	21	46	36	50	19,99
1.38	.87	3625	.75	1.54	2.32	.83	1.81	1.42	1.97	43.99
35	28	250	24	39	59	21	46	41	50	19,71
1.38	1.10	3625	.94	1.54	2.32	.83	1.81	1.61	1.97	43.35
42	35	250	30	42,5	66	21	55	50	60	29,78
1.65	1.38	3625	1.18	1.67	2.60	.83	2.17	1.97	2.36	65.52